

TYRE CATALOGUE 2026

TRUCK & BUS



TECHSHIELD

GUARD YOUR DRIVING SAFETY

MASTER DISTRIBUTOR
RACO
TIRES



TECHSHIELD



"VIGOROUS" Series



VIGOROUS TS600

- 🚗 Mixed highway and freeway for long distance service.
- ⚠️ Special tread compound offers excellent performance of lower heat build-up.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R22.5	18	149/146	L	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL




TA 800

- 🚗 Mixed highway and freeway for long distance service.
- ⚠️ Special tread compound offers excellent performance of lower heat build-up.


SIZE	PLY	LI	SI	TL/TT
7.00R16LT	14	118/114	L	TT
7.50R16LT	14	122/118	L	TT
8.25R16LT	16	128/124	L	TT
8.25R20LT	16	139/137	K	TT
9.00R20	16	144/142	K	TT
10.00R20	18	149/146	L	TT
11.00R20	18	152/149	L	TT
12.00R20	18	154/151	L	TT
12.00R20	20	156/153	K	TT
12.00R24	20	160/157	K	TT
12R22.5	18	152/148	M	TL
13R22.5	18	156/150	K	TL
13R22.5	20	156/153	L	TL
295/80R22.5	18	152/149	L	TL




CARRYING LOAD




STOP AND ACCELERATION OPERATION



SEASONAL / AMBIENT TEMPERATURES



TRAILER AXLES



VIGOROUS TA800

- Applied for highway, urban and country road.
- Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R22.5	18	149/146	L	TL
11R24.5	16	149/146	M	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL



TA 806

- High power mixed; Quasi-sovereign tread; integrative shoulder pattern.
- Superior anti-irregular wearing performance, excellent stability in running, low noise, superior lateral spreads slippery resistance, well heat dispersion.

SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT
315/80R22.5	20	156/153	L	TL



TA 803

- High power mixed; Quasi-sovereign tread; integrative shoulder pattern.
- Special tread compound perform well in hot weather.

SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT



VIGOROUS TS709

- Mixed highway and freeway for long distance service.
- Special tread compound offers excellent performance of lower heat build-up.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL



VIGOROUS TA805

- All terrain tyres suitable for all position fitment.
- Super level of traction.
- Resistant to cuts and stone retention.


SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT



TS 605

- Exceptional mileage and resistance to irregular wear.
- Excellent high speed stability and durability.
- Excellent resistance to rib-tearing.

SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/148	M	TL



VIGOROUS TS799

- Mixed highway and freeway.
- Special tread compound offers cut resistance,super grip on wet road.

SIZE	PLY	LI	SI	TL/TT
215/75R17.5	16	127/124	M	TL
235/75R17.5	16	132/130	L	TL
235/75R17.5	18	143/141	L	TL



VIGOROUS TS601

- Mixed highway and freeway.
- Special tread compound offers cut resistance,super grip on wet road.

SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL



TM 900

- Fuel efficient with lower rolling resistance.
- Excellent traction and wet weather handling.
- Wider tread enhanced tyre life.

SIZE	PLY	LI	SI	TL/TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT



VIGOROUS TA801

- Superior anti-irregular wearing performance,excellent stability in running,lownoise, superior lateral spreads slippery resistance,well heat dispersion.


SIZE	PLY	LI	SI	TL/TT
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL



TS 607

- Unique tread design for minimized gasoline consumption.
- Horizontal rid design offers the top guiding and stability at high speed service.

SIZE	PLY	LI	SI	TL/TT
13R22.5	18	156/150	K	TL



VIGOROUS TS602

- Applied for highway,urban and country road.
- Three rib pattern,extra sideslip resistance,delivers superior stability and drainage of driving.


SIZE	PLY	LI	SI	TL/TT
7.50R16LT	14	122/118	L	TT
7.50R16LT	16	125/121	L	TT



TS 609+

- Applied for highway, urban and country road.
- Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	L	TL



TS 610

- Four vertical and Polygonal groove lines enables perfect maneuverability.
- Special shoulder improve tire shoulder durability.


SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	K	TL



TS 788

- Mixed highway and freeway for long distance service.
- Special tread compound offers excellent performance of lower heat build-up.


SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	L	TL



TS 609

- Wide base single tire for highway transportation.
- Super steel belt carcass construction enhances casing strength and maximizes tire load capacity.

SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	K	TL



VIGOROUS TD712

- Resistance to irregular wear.
- Wider and deeper tread using a special rubber compound designed to extend the life of the tyre.


SIZE	PLY	LI	SI	TL/TT
215/75R17.5	16	127/124	L	TL
235/75R17.5	16	132/130	L	TL
235/75R17.5	18	143/141	L	TL



TA 807

- ⊕ Resistance to irregular wear.
- Ⓜ Wilder and deeper tread using a special rubber compound designed to extend the life of the tyre.

SIZE	PLY	LI	SI	TL/TT
8.25R16LT	16	128/124	L	TT
8.25R20LT	16	128/124	L	TT
900R20	16	144/142	K	TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT



TD 703

- Ⓜ Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.


SIZE	PLY	LI	SI	TL/TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT
12R22.5	18	152/148	M	TL



VIGOROUS TD700

- Ⓜ Unique tie-bar pattern design offers superior resistance to irregular wearing and block tearing.
- Ⓜ High mileage and speed with lower heat build up.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL



TD 705

- Ⓜ Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.


SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/148	M	TL



VIGOROUS TD701

- Ⓜ Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL



VIGOROUS TD708

- ⊕ All terrain tyres suitable for all position fitment.
- Ⓜ Resistant to cuts and stone retention.


SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL



VIGOROUS TM717

- Ⓢ Resistance to irregular wear.
- Ⓜ Wider and deeper tread using a special rubber compound designed to extend the life of the tyre.

SIZE	PLY	LI	SI	TL/TT
215/75R17.5	16	127/124	L	TL
235/75R17.5	16	132/130	L	TL
235/75R17.5	18	143/141	L	TL



TM 909

- Ⓢ Resistant to cuts and stone retention.
- Ⓜ New tread design giving excellent traction and cut resistance.

SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	L	TL



TD 706

- Ⓢ Stone ejector in the tread prevents stone retention which can lead to casing damage.
- Ⓜ New tread design giving excellent traction.

SIZE	PLY	LI	SI	TL/TT
13R22.5	18	156/150	K	TL
315/80R22.5	20	156/153	L	TL



TM 910

- Ⓜ Super level of traction.
- Ⓢ Resistant to cuts and stone retention.
- Ⓜ New tread design giving excellent traction and cut resistance.


SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/149	L	TL



VIGOROUS TD702

- Ⓢ Stone ejectors in the tread prevents stone retention which can lead to casing damage.
- Ⓜ New tread design giving excellent traction.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL



VIGOROUS TM901

- Stone ejectors in the tread prevents stone retention.
- New tread design giving excellent traction and cut resistance.

SIZE	PLY	LI	SI	TL/TT
315/80R22.5	18	154/151	L	TL
315/80R22.5	20	157/154	L	TL



TM 903

- Stronger driving force; horizontal block pattern provides stronger driving power and braking force.
- Longer service life, excellent loading performance.

SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT



TM 902

- All terrain tyres suitable for all position fitment.
- Super level of traction.
- Resistant to cuts and stone retention.

SIZE	PLY	LI	SI	TL/TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT
13R22.5	18	156/150	K	TL
295/80R22.5	18	152/149	L	TL



TM 906

- Stone ejectors in the tread prevents stone retention.
- New tread design giving excellent traction and cut resistance.

SIZE	PLY	LI	SI	TL/TT
900R20	16	144/142	K	TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT



235/75R17.5




VIGOROUS TS799 VIGOROUS TD712 VIGOROUS TM717

13R22.5



TA 800 TS 607 TM 902 TD 706

11R22.5



VIGOROUS TS600 VIGOROUS TA800 VIGOROUS TS709 VIGOROUS TD700 VIGOROUS TD708 VIGOROUS TD702

295/80R22.5



TA 800 VIGOROUS TS601 VIGOROUS TD701 TM 902 TM 909

11R24.5



VIGOROUS TS600 VIGOROUS TA800 VIGOROUS TS709 VIGOROUS TD708 VIGOROUS TD702

315/80R22.5




VIGOROUS TS600 VIGOROUS TA800 TA 806 VIGOROUS TA801 VIGOROUS TD700 VIGOROUS TM901 TD 706

295/75R22.5



VIGOROUS TS600 VIGOROUS TS709 VIGOROUS TD708 VIGOROUS TD702

385/65R22.5



TS 609+ TS 788 TS 609 TS 610

12R22.5



TA 800 TS 605 TD 703 TD 705 TM 910

